





AMET standard manual slide data



Maximum permissible loads						
	Maximum permissible forces		Maximum permissible moments			
Rail Width (mm)	F dynamic (lb)	F ₀ static (lb)	M _t dynamic (in lb)	M _t static (in lb)	M _L dynamic (in lb)	M _L static (in lb)
15	5260	9100	2790	4890	1540	2730
20	12680	16460	9310	12020	5160	6540
25	15380	20500	12570	16890	7280	9710

Carriage Size		
Rail Width (mm)	Width (in)	Length (in)
15	4.438	6.000
20	5.688	7.375
25	6.250	8.250



AMET Built Linear Slide (Manual Positioning)			
Manual Slide Costs (SLIDE ONLY - NO BRACKETRY)			
15 Series Manual Slide			
Part Number	Travel (in)	Rail Length (in)	Cost
SD-1506-99	6	12.000	\$ 1,836.36
SD-1512-99	12	18.000	\$ 1,972.70
SD-1516-99	16	22.000	\$ 2,063.58
SD-1520-99	20	26.000	\$ 2,154.44
SD-1522-99	22	28.000	\$ 2,199.92
SD-1524-99	24	30.000	\$ 2,245.36
SD-1528-99	28	34.000	\$ 2,336.25
SD-1532-99	32	38.000	\$ 2,427.10
SD-1536-99	36	42.000	\$ 2,518.02
SD-1540-99	40	46.000	\$ 2,608.91
SD-1544-99	44	50.000	\$ 2,699.80
SD-1548-99	48	54.000	\$ 2,790.69
20 Series Manual Slide			
SD-2006-99	6	13.375	\$ 2,014.22
SD-2012-99	12	19.375	\$ 2,151.34
SD-2016-99	16	23.375	\$ 2,242.78
SD-2020-99	20	27.375	\$ 2,334.16
SD-2024-99	24	31.375	\$ 2,425.57
SD-2028-99	28	35.375	\$ 2,517.02
SD-2032-99	32	39.375	\$ 2,608.40
SD-2036-99	36	43.375	\$ 2,699.81
SD-2040-99	40	47.375	\$ 2,791.22
SD-2044-99	44	51.375	\$ 2,882.63
SD-2048-99	48	55.375	\$ 2,974.04
25 Series Manual Slide			
SD-2506-99	6	14.250	\$ 2,133.34
SD-2512-99	12	20.250	\$ 2,271.78
SD-2516-99	16	24.250	\$ 2,364.10
SD-2520-99	20	28.250	\$ 2,456.36
SD-2524-99	24	32.250	\$ 2,548.65
SD-2528-99	28	36.250	\$ 2,640.98
SD-2532-99	32	40.250	\$ 2,733.24
SD-2536-99	36	44.250	\$ 2,825.53
SD-2540-99	40	48.250	\$ 2,917.82
SD-2544-99	44	52.250	\$ 3,010.11
SD-2548-99	48	56.250	\$ 3,102.40