


FLUX MANAGEMENT SYSTEM

FLUX RECOVERY VACUUM ‡

1. 4 HP/3 KW VACUUM MOTOR
2. 10.5 GALLON/40 L CAPACITY FLUX TANK
3. HEATED TANK MAX TEMP. (302°F/150°C)
4. AIR PRESSURE FLUX FEED
5. FLUX TEMPERATURE READOUT

FLUX HOPPER

1. DUAL CHAMBER
2. ADJUSTABLE RECYCLED/NEW FLUX RATIO



PRIMARY PRESSURE FEED FLUX TANK †

1. 10.5 GALLON/40 L CAPACITY FLUX TANK
(LARGER CAPACITY AVAILABLE)
2. HEATED TANK MAX TEMP. (302°F/150°C)
3. AIR PRESSURE FLUX FEED
4. LOW LEVEL WARNING LIGHT
5. FLUX TEMPERATURE READOUT

† DETAIL ON SHEET 2
‡ DETAIL ON SHEET 3


AMET

Advanced Manufacturing Engineering Technologies

355 Dividend Dr.
Rexburg, ID 83440
www.ametinc.com
(208) 356-7274
(208) 356-8932 Fax

PREPARED: APRIL 2010

PRIMARY FLUX HOPPER



DETAIL B
SCALE 1 : 10

1. LOW FLUX LEVEL WARNING LIGHT
2. OPERATION/PROCESS INDICATOR LIGHTS
3. DIGITAL FLUX TEMPERATURE READOUT
4. OPERATING/CONVEYING PRESSURE GAUGES
5. OPERATING/CONVEYING PRESSURE REGULATORS

AMET


Advanced Manufacturing Engineering Technologies

355 Dividend Dr.
Rexburg, ID 83440
www.ametinc.com
(208) 356-7274
(208) 356-8932 Fax

REV: A

APRIL 2010

FLUX RECOVERY VACUUM



DETAIL C
SCALE 1 : 16

1. OPERATION/WARNING LIGHTS
2. PRESSURE FEED TANK
3. VACUUM FILTER CHAMBER
4. OPERATION/PROCESS INDICATOR LIGHTS
5. DIGITAL FLUX TEMPERATURE READOUT
6. OPERATING/CONVEYING PRESSURE GAUGES
7. OPERATING/CONVEYING PRESSURE REGULATORS
8. FILTER DUST DRAIN
9. MANUAL FLUX DRAIN

AMET

Advanced Manufacturing Engineering Technologies

355 Dividend Dr.
Rexburg, ID 83440
www.ametinc.com
(208) 356-7274
(208) 356-8932 Fax

REV: A

APRIL 2010